Work Order I August-02-12 9:07:0	A contract of the contract of		*884	135	*						Page
Item ID: D21 Revision ID:	2-664-101	• ′	Accept	*/	1900	040	100)* s	etup Sta	rt *N	S1*
Item Name: Cros	stube Fwd High				:				Sto	*N	S2*
Start Date: 8/13 Required Date: 8/31 Reference:	- • •	*1* *1*			Cust Item I Customer:	D:					
		D :	100x "				_	R	Run Sta	rt *NI	D 1*
Approvals: Pro	cess Plan: MLJ	Date: 17 /08.	SPC (Y/N):			ate:		V	Sto	^p *N	R2*
Sequence ID/ Work Center ID	Operation Description	4:	Set Up/ Run Hours		Tool ID	Tool #	Pian Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr										
D212-664-141	Rev D (DEO)		•						•		
*100 *100*	DOCUMENT CONTRO	OL	0.00 SAS	12/2	126						
Document Control	Memo Photocopy	bluefile and create labels	s as per PPP D212-664-101	CHG00	05 6			٠.		\ .	• .
									•		
*110	Pick Kit Packaging		0.00	p	10			12/8	120		
Packaging Packaging	Memo		0.00	•				en e			

120

120 CNC Bend 2

CNC Alpha 160 Bender

BENDING MACHINE - CROSSTUBES

0.00 Memo

Bend tube as per Dwg D212-664-141 using CNC bender program 212-fw and Folio D212-664-101

0.00

Page 1

												\$ #					
				*	,		÷*			٠				DQA:	Date		
NCR: Y	es	/ No			*		WORK ORDE	R NON-C	COL	VFOR	MANCE /	UPDATE				•	
							<u> </u>					. ,	ē.	QA Closed:	Date		
Work Orde	r:		, ,	والمراجع المراجع	ان		- DISPOSI	TION				AG	AINST DE	PARTMENT	/PROCESS	· P	
. Part N	o			di.				Rework Scrap			Skid-tube Machining	Sm	sstube all Fab		Water Jet d. Eng. Coor.	Engineeri Quali	ty
NCR N	o		è			.;'	Work Order	Jse-as-is Update			noforming Large Fab		posite	Rec/Stor	re/Packaging Supplier	Oth	er
Root			;		: Des	crip	otion of work orde	r update		nitial 🚽	-	Action	٠٠ . ٢	Sign &			
Cause		Date	Step	•Qtÿ*			r Non-conforman		Ch	ief Eng	1	Description		Date	Verification	QC Insp	ector
oc/Data quip/Tooling perator Naterial etup other rocess upplier															. ,		
raining napproved	\dashv								7						я		
									AUL	T CATE	GORY				N 2	•	
Landin	g G	ear	*.				General		عار نيز	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 1 1			* ;			
]	Bending Centre Not Cracks		ntric to (O/S	\vdash	Bend BOM/Route Broken/Damaged	Oil.			on Incompl			Ovalized Over/Under Part Incorre	ct	Pressure/Fo Temperature Weld	e/Cure
	_	Crushed/C	rimped.				Burrs				4.44	olete/Unclear	<u> </u>	Part Lost/Mi	ssing	Wrong Stock	k Pulled
	_	Cuffs				Щ	Contamination		- i-	1.000	nance ³		<u> </u>	Part Moved			
1	—4	Heat Treat					Countersink /			Mislabe				Positioned V		~	
Ĺ	_	nspection		Tube			Cut Too Short			Misread	1			Power Loss/	Surge	Other	
	_	Ripples in I	F*	1		. ,	Drill Holes			Offset		ga.	•				
1	<u>`-</u>]1	Torque Wa	eves in E	xtrusioì	الرائية		Drawing	e Geografia		Out of (Calibration	?					
	- In	Turning Se	quence		`		Finish	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3	Out of	Sequence			·		•	

Outside Dimensions

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Wave/Twist in Tube

88435

Page 2

August-02-12 9:07:00 AM Item ID: D212-664-101 Accept *N900040100* Setup Start **Revision ID:** Item Name: Crosstube Fwd High **Start Date:** 8/13/12 Start Qty: 1.00 Cust Item ID: Required Date: 8/31/12 Req'd Qty: 1.00 Customer: Reference: Run Start Process Plan: Date: **Tooling:** Approvals: Date: Stop QC: Date: SPC (Y/N): Date: Tool ID Tool # Plan Reject Sequence ID/ **Operation** Set Up/ Accept Reject Insp. **Work Center ID** Description **Run Hours** Code Oty Oty Number Stamp QC15- Crosstube Dimensional Check 130 0.00 *120* Memo **Quality Control** 140 0.00 Crosstubes *140* Crosstubes 0.00 Memo 1-Drill pilot holes in tube as per Dwg D212-664-141 using drill Jig DT8548 & Crosstubes 12-8-21 DT8549, using drill table DT8577, set-up towers in hole #7 as per QSI 10 2-Ream hole to finish size in tube as per Dwg D212-664-141 using drill Jig DT8548 & DT8549. Check dimensions between holes, both sides on both cuffs, to ensure alignment with saddle holes. 3-Scribe part # and batch # using vibrating stylus as per Dwg D212-664-141 4-*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE*** Deburr & Inspect for surface damage. Repair damage within limits as per Dwg D212-664-141

											DQA:	Da	ite:	
NCR:	es / No				WORK ORDER NON-O	COI	VFOR	MANCE / UP	DATE		·		•	# -
											QA Closed:	Da	ite:	
Work Orde	or.				DISPOSITION				AGAINST	DE	PARTMENT	/PROCESS		
Part I	No				Rework Scrap Use-as-is Work Order Update			Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite		l	Water Jet d. Eng. Coor. re/Packaging Supplier		Engineering Quality Other
Root		T		Descri	ption of work order update		nitial	Ac	tion		Sign &		1	
Cause	Date	Step	Qty		or Non-conformance	Ch	ief Eng	Desc	ription		Date	Verificatio	'n	QC Inspector
Doc/Data														
Equip/Tooling		İ												
Operator														
Material						1						!		
Setup								-					ł	
Other							٤.							
Process							• !						į	
Supplier								•						
Training		1												
Unapproved		<u> </u>			·,									
					F	AUL	T CATE	GORY						
Landi	ng Gear			_	General				_		_			_
	Bending				Bend		Grain		į		Ovalized			Pressure/Forced
	Centre N	lot Conce	ntric to	o/s	BOM/Route		Hardwa	re			Over/Under	tolerance		Temperature/Cure
	Cracks Broken/Damaged						Inspecti	on Incomplete			Part Incorred	ct		Weld
	Crushed			Burrs	L	Instruct	ions Incomplete/	Unclear		Part Lost/Mi	ssing		Wrong Stock Pulled	
	Crushed/Crimped Burrs Instructions Incomplete/Unclear Cuffs Contamination Maintenance								[Part Moved			

Mislabeled

Out of Calibration

Out of Sequence

Outside Dimensions

Misread

Offset

Positioned Wrong

Power Loss/Surge

Other

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Heat Treat

Inspection Strip in Tube

Torque Waves in Extrusion

Countersink

Cut Too Short

Drill Holes

Drawing

Finish

LPI as per ASTM 1417 Level 2

Attach copy of NDT results to work order

NCR:	Yes	/	No
------	-----	---	----

												DQA:	Date:	•
NCR:	Yes	/ No					WORK ORDER NON-C		NFORM	MANCE / UP	DATE	•		· . i
												QA Closed:	Date:	
Vork Orde	er:						DISPOSITION				AGAINST DE	PARTMENT	PROCESS	
Part I	•						Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Des	crij	otion of work order update		nitial	Ac	tion	Sign &		
Cause		Date	Step	Qty		C	r Non-conformance	Ch	ief Eng	Desc	ription	Date	Verification	QC Inspector
oc/Data quip/Tooling perator laterial etup ther rocess upplier raining							•		*					
							F	AUL	T CATE	GORY				
Landi							General		 1					
	Bending Centre Not Concentric to O/S Cracks Crushed/Crimped. Cuffs Heat Treat Inspection Strip in Tube Ripples in Bend Torque Waves in Extrusion Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing Finish								Instruct Mainte Mislabe Misread Offset Out of C	on Incomplete ions Incomplete/ nance led I	Unclear	Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct ssing	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
		Turning So	equence]	!	lFinish	1	IOut of S	equence				

Outside Dimensions

Wave/Twist in Tube

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde		435		*884:	3.5	*							Page 4
Item ID: Revision ID:	D212-664-10)1		Accept	*/	1900	040	100)*	Setup	Start	*N	S1*
Item Name:	Crosstube Fwo	d High									Stop	*N:	S2*
Start Date: Required Date: Reference:	8/13/12 8/31/12	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		1	Cust Item I Customer:	D:						· .
Approvals:		nn:	Date:	Tooling: SPC (Y/N):			nte:			Run	Start Stop	*N *N	R1* R2*
Sequence ID/ Work Center II	D	Operation Description		Set Up/ Run Hours		Tool ID	Tool #	Plan Code	Accept Qty	t Rej Qty		Reject Number	Insp. Stamp
*180 *180* Packaging		Receive & Inspect for Da Packaging Memo Ensure copy	amage & Mat'l Certs of NDT results attached	0.00 0.00 to work order.							<i>f</i> 4	12/8/	127(1)
190 *1Q\n* QC Quality Control		QC5- Inspect part compl Memo *** WEAR	eteness to step on W/O	0.00 0.00 N HANDLING CROSSTUBE Ire as per Dwg D212-664-141		\$-		~			,		W 12:08 2
193 *193		Crosstubes Chemical Co	nversion	0.00				· , ··	TT:)	ŧ	ロー	S- 74)

HandFXtube

Memo

0.00

*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE*** Hand Finishing Crosstubes

1- PRESSURE WASH AND THEN USE WASH'N WIPE TO CLEAN CROSSTUBE BEFORE CHEMICAL CONVERSION

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-O	cor	NFORM	MANCE / UPDATE				*
									:		QA Closed:	Date:	
Work Ord	er:					DISPOSITION			AGAINS	ST DE	PARTMENT	/PROCESS	
Part	No.			-		Rework Scrap Use-as-is Work Order Update		f Therm	Skid-tube Crosstub Machining Small Fa noforming Finishir Large Fab Composit	ıb ng		Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
]		l
Root					Descri	ption of work order update		Initial	Action		Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	nief Eng	Description		Date	Verification	QC Inspector
Doc/Data	L												
Equip/Tooling											<u> </u> -		
Operator													
Material													
Setup													
Other .	<u></u>												
Process													
Supplier									•				
Training													
Unapproved							<u> </u>						
			FAULT CATEGORY										
Landi	Landing Gear General											-	,
		Bending			· _	Bend		Grain			Ovalized		Pressure/Forced
						BOM/Route	_	Hardwa	re		Over/Under	tolerance	Temperature/Cure
		Cracks			L	Broken/Damaged		Inspecti	on Incomplete		Part Incorre	ct	Weld
		Crushed/	Crimped			Burrs		Instruct	ions Incomplete/Unclear		Part Lost/Mi	ssing	Wrong Stock Pulled
		Cuffs				Contamination		Mainte	nance		Part Moved		_
		Heat Trea	t			Countersink		Mislabe	led		Positioned V	Vrong	_
		Inspection	n Strip in	Tube		Cut Too Short	Г	Misread	.		Power Loss/	Surge	Other

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

August-02-12 9	0:07:00 AM				+.). 							
Item ID: Revision ID: Item Name:	D212-664-1 Crosstube Fw			Accept	*	1900	040	100)* s	etup Sta Sto	171	S1* S2*
Start Date: Required Date: Reference:	8/13/12 : 8/31/12	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*			Cust Item I Customer:	D:					
Approvals:	Process Pla	an:	Date:	Tooling:		Da	ate:		R	tun Sta	1/1	R1*
	QC:		Date:	SPC (Y/N):		Da	ate:			Sto	^{op} *N	R2*
Sequence ID/ Work Center I	D	Operation Description		Set Up/ Run Hours		Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
195		QC7-Inspect Chemical C	Conversion Coat	0.00							,	1
195 QC Quality Control		Memo *** WEAR	LATEX GLOVES W	0.00 HEN HANDLING CROSSTU	UBE***							<u>√/12 08 7</u>
200		Spray Painting per QSI0	05 42	0.00								•
200		SprayPaint	03 4.2	0.00					48	12-	8-26	
SprayPaint Spray Painting		Memo *** WEAR	LATEX GLOVES W	U.00 HEN HANDLING CROSSTI	UBE***						•	
				ube as per QSI 005 4.2							•	
		2-Paint outs QSI 005 4.2		DEO D212-667-141 with Whi	ite Imron	asper				-		
		PRIME: 12 Start Time: Fininsh Tii										

PAINT: 12 2 38 1 Start Time: 4:00 Finish Time: 5:00

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-O	100	NFORM	MANCE / UPE	DATE	,	· · · · · · · · · · · · · · · · · · ·	8
									•	-	QA Closed:	Date:	
NA/ a mla O mal						DISPOSITION				AGAINST DE	PARTMENT	PROCESS	
Work Orde	er:		-			D	1		G 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	C	7	\4/=4=# L=4	<u></u>
Dowt N	N.					Rework			Skid-tube	Crosstube Small Fab	D==	Water Jet	Engineering
Part f	NO.		,			Scrap Use-as-is	1	l	Machining noforming	Finishing	=	d. Eng. Coor.	Quality Other
NCR I	N۵					Work Order Update	1		Large Fab	Composite	, Kec/stor	e/Packaging Supplier	Other
IVERT	10.					Work Order Opdate	ן		Large rab[]	composite	_	2abbijei []	
Root					Descr	iption of work order update		Initial	Acti	ion	Sign &		
Cause		Date	Step	Qty		or Non-conformance	Ch	nief Eng	Descr	iption	Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling													
Operator						•							
Material													
Setup					:								
Other													
Process													
Supplier													
Training											1.		
Unapproved													
						F	AUL	T CATE	GORY				
Landi	ng (Gear	-	-	_	General		-			 -		
	Bending					Bend	L	Grain			Ovalized		Pressure/Forced
	Centre Not Concentric to O/S					BOM/Route		Hardwa	re		Over/Under	tolerance	Temperature/Cure
		Cracks				Broken/Damaged		Inspecti	on incomplete		Part Incorre	ct	Weld
		Crushed/0	Crimped.			Burrs		Instruct	ions Incomplete/U	Inclear	Part Lost/Mi	ssing	Wrong Stock Pulled

Maintenance

Out of Calibration

Out of Sequence

Outside Dimensions

Mislabeled

Misread

Offset

Contamination

Countersink

Cut Too Short

Drill Holes

Drawing

Finish

Folio

Positioned Wrong

Power Loss/Surge

Other

Part Moved

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Cuffs

Heat Treat

Inspection Strip in Tube

Torque Waves in Extrusion

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

											DQA:	Date:	
NCR:	ès.	\ No					WORK ORDER NON-C	O۱	NFORM	MANCE / UPDATE			
									,		QA Closed:	Date:	
Work Orde	ır.						DISPOSITION			AGAINST D	EPARTMENT	PROCESS	
Part N	lo,						Rework \(\bigce \) Scrap \(\text{Use-as-is} \) Work Order Update		Thern	Skid-tube Crosstube Machining Small Fab Composite	Pro	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Des	crip	otion of work order update	-	nitial	Action	Sign &		
Cause		Date	Step	Qty		C	r Non-conformance	Ch	jef.Eng	Description	Date	Verification	QC Inspector
oc/Data quip/Tooling perator Material etup Other Process upplier Training		rsbolsz	210	*1	+AR WINDL Still		when the Prince was	CS Survey	2042 108/27	Finish is unaccatable. Stain enti tuhe And he Promey + Paint As per 222044			Q52042 17/08/22
паррготса		L	1	<u> </u>	·		F.A	\UL	T CATE	GORY		<u> </u>	
Landi	ng (Gear					General						
		Bending Centre No Cracks Crushed/O Cuffs Heat Trea Inspection Ripples in Torque W	Crimped it n Strip in i Bend	Tube			Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing	\vdash	Instruct Mainte Mislabe Misread Offset	ion Incomplete tions Incomplete/Unclear enance eled	Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct sissing Vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
		Turning S	equence			LX	Finish	L	Out of	Sequence			

Outside Dimensions

Wave/Twist in Tube

Work Orde	•	35		*884	135	*						Page 7
Item ID: Revision ID: Item Name:	D212-664-10 Crosstube Fwd			Accept	*N	1900	040	100)* s	Setup Sta		VS1*
Start Date: Required Date:	8/13/12	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*			Cust Item I	D:				· "I	NS2*
Approvals:	Process Plan	1:	Date:	Tooling: SPC (Y/N):			ate:	-	F	Run Sta	 On	NR1* NR2*
Sequence ID/ Work Center II 240 *740* Packaging Packaging		Operation Description Pick Kit Memo		Set Up/ Run Hours 0.00		Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Rejec Numb	t Insp.
250 *250* QC Quality Control		QC4- 100% Inspect kits Memo	for completeness	0.00 PAS 0.00 IAS	(1)	०६/२६						
260 *260* Packaging Packaging		Packaging Memo Identify and	pack for shipping as per	0.00 0.00 PPP D212-664-101							12/4	Ord.

NCR:	$m{\cdot}$													
											QA Closed:	Dat	e:	
Work Orde	er: _					DISPOSITION	_				PARTMENT,	-		
Part I	-					Rework Scrap Use-as-is		Therm	Skid-tube Crosstube Machining Small Fab noforming Finishing		-	Water Jet d. Eng. Coor. re/Packaging		Engineering Quality Other
NCR I	No.					Work Order Update			Large Fab Composite		Ţ	Supplier		
Root Cause		Date	Step	Qty		ption of work order update		Initial hief Eng	Action Description		Sign & Date	Verification	, [QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved														
Landi	na G					General	FAU	LT CATE	JORY					
Lanu		Bending Centre No Cracks Crushed/O Cuffs Heat Trea Inspection Ripples in	Crimped. t - n Strip in Bend	Tube		Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes		Instruct Mainte Mislabe Misread Offset	on Incomplete ions Incomplete/Unclear nance led		Ovalized Over/Under Part Incorre Part Lost/Mi Part Moved Positioned V Power Loss/	ct issing Vrong		Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
	1 1	Torque W	Javes in F	vtrusio	n İ	Drawing	- 1	lout of C	alibration					

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Order ID 88435 August-02-12 9:07:00 AM Accept Item ID: D212-664-101 *N900040100* Setup Start **Revision ID:** Stop Crosstube Fwd High Item Name: Start Qty: 1.00 **Start Date:** 8/13/12 Cust Item ID: Required Date: 8/31/12 Req'd Qty: 1.00 Customer: Reference: Run Tooling: **Approvals:** Process Plan: Date: Date: Stop QC: Date: SPC (Y/N): Date: Sequence ID/ Operation Reject Set Up/ **Tool ID** Tool # Plan Accept Reject Work Center ID Description Code Qty Qty Number Stamp **Run Hours** 270 QC21- Final Inspection - Work Order Release 0.00

0.00

Memo

270

Quality Control

MV 08 28

Insp.

Page 8

												DQA:	Date	:	
NCR:	Yes	/ No					WORK ORDER NON-C	O	NFORM	MANCE / UPDATE					
			·····							· · · · · · · · · · · · · · · · · · ·		QA Closed:	Date	:	
Vork Ord	er:						DISPOSITION			AGAINST	DE	PARTMENT	PROCESS		
Part NCR	No.						Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Crosstube Machining Small Fab noforming Finishing Large Fab Composite		l	Water Jet d. Eng. Coor. e/Packaging Supplier		Engineering Quality Other
Root					Desc	crip	otion of work order update		nitial	Action		Sign &			
Cause		Date	Step	Qty		C	r Non-conformance	Ch	ief Eng	Description		Date	Verification		QC Inspector
oc/Data quip/Tooling perator laterial etup ther rocess upplier raining															
								AUL	T CATE	GORY					
Landi	Ing (Bending Centre No Cracks Crushed/O			/s		General Bend BOM/Route Broken/Damaged Burrs Contamination		1	on Incomplete ions Incomplete/Unclear		Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved	ct		Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled
		Heat Trea Inspection	n Strip in	Tube		-	Countersink Cut Too Short Drill Holes		Mislabe Misread	led		Positioned V Power Loss/		1	Other
		Ripples in Torque W		ytrusion	ł		Drawing	\vdash		Calibration					
		Turning S			ŀ		Finish	\vdash	1	Seguence					

Outside Dimensions

Wave/Twist in Tube

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

												DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-C	O	NFORM	MANCE / UP	DATE		·		3
												QA Closed:	Date:	•
Work Ord	or.					DISPOSITION				AGAINS	T DE	PARTMENT	PROCESS	
WOIK OIG	C1.					Rework	1		Skid-tube	Crosstub			Water Jet	Engineering
Part	No.					Scrap	1 1		Machining	Small Fa	-	Pro	d. Eng. Coor.	Quality
		•				Use-as-is	1		noforming	Finishin	-	l	e/Packaging	Other
NCR	No.					Work Order Update	1		Large Fab	Composit	_		Supplier	
												-		
Root						ption of work order update	1	nitial	Ad	ction		Sign &		
Cause	, .	Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Desc	cription		Date	Verification	QC Inspector
Doc/Data														
Equip/Tooling	<u></u>		}							•				
Operator														
Material														
Setup								·						
Other	L													
Process								•						,
Supplier				,								ļ ļ		
Training		Ì	ľ		:		1							
Unapproved														·
						F	AUL	T CATE	GORY					
Landi	ing (Gear				General		-				- '		• • •
	L	Bending			<u></u>	Bend	L	Grain			L	Ovalized		Pressure/Forced
		Centre No	ot Concer	ntric to	o/s	BOM/Route	L	Hardwa	re		Ŀ	Over/Under	tolerance	Temperature/Cure
		Cracks				Broken/Damaged		Inspecti	on Incomplete			Part Incorre	ct	Weld
		Crushed/	Crimped.			Burrs		Instruct	ions Incomplete,	/Unclear		Part Lost/Mi	ssing	Wrong Stock Pulled
		Cuffs				Contamination		Mainte	nance			Part Moved	*	-
		Heat Trea	t			Countersink		Mislabe	led		\Box	Positioned V	Vrong	
		Inspection	n Strip in	Tube		Cut Too Short	Г	Misread	i		Г	Power Loss/	Surge	Other

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print August-02-12 9:06									Page 2
Work Order ID:	88435								
Parent Item:	D212-664-101						Start	Date: 8/13/12	Required Date: 8/31/12
Parent Item Name:	Crosstube Fwd High						Start	Qty: 1.00	Required Qty: 1.00
MS21920-25 Clamp(per MIL-DTL-87	(83C)	Purchased	No		220	Each	88.0000	4 4	Al 12-8-27
				Location LG050 116264 117998 118142 119339 119746 120475 120920	Loc Oty 88 2 4 4 2 2 2	3 2 4 4 2 2 2 7	Loc Code		
D2893-1		Manufactured	No	122204	220	Each	12.0000	2 2	A 12-8-27
2.75 Support				Location \$6733 LG 87922 LG052 72865	Loc Oty)) 2	Loc Code		/ 6
D3428-1 Placard		Manufactured	No		240	Each	19.0000		
				Location ST042 83582	Loc Oty) 7	Loc Code	8 358	2
AN635A BOLT		Purchased	No	85228	240	2 Each	102.0000	43	4- 0
•				<u>Location</u> 342 121181	Loc Oty	2 2	Loc Code		
				ST340	10				•
				122416	10	0	1	1224/9	
August-02-12 9:06	5:59 AM			Shop Pack	et Print				Page 2

				DQA:	Date:	
ICR.	Vac /	No	WORK ORDER NON-CONFORMANCE / LIPDATE			4

											QA Closed:	Date	
Work Orde	er:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part N	No	•				Rework Scrap Use-as-is Work Order Update		Thern	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	ł	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Descri	otion of work order update		nitial	Ac	tion	Sign &		
Cause	Da	te Ste	p Q	Qty	-	or Non-conformance	Ch	ief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material													
Setup						•							
Other													
Process					•								
Supplier													
Training		1	1	1									
Unapproved													
						F	AUL	T CATE	GORY				
Landi	ng Gear					General					<u>.</u>		
	Bend	ng				Bend	Ш	Grain			Ovalized	L	Pressure/Forced
	Centr	e Not Cor	centric	to O)/S	BOM/Route		Hardwa	re		Over/Under	tolerance	Temperature/Cure
	Crack	s				Broken/Damaged	Ш	Inspecti	on Incomplete		Part Incorre	ct _	Weld
	Crush	ed/Crimp	ed.			Burrs		Instruct	ions Incomplete/	'Unclear	Part Lost/Mi	issing	Wrong Stock Pulled
	Cuffs					Contamination	Ш	Mainte	nance		Part Moved		
	Heat	Treat				Countersink		Mislabe	led		Positioned V	Wrong	
	Inspe	ction Stri	in Tub	эe		Cut Too Short		Misread	i		Power Loss/	'Surge	Other
	Rippl	es in Bend	l		· [Drill Holes		Offset				· · · · · · · · · · · · · · · · · · ·	
	Torqu	ie Waves	in Extru	usion		Drawing		Out of 0	Calibration				
	Turni	ng Sequei	nce			Finish		Out of S	Sequence				
	Wave	/Twist in	Tubo			1 _{Eolio}		Outsida	Dimensions				

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print August-02-12 9:06										Page 3
Work Order ID: Parent Item:	88435 D212-664-101							t Date: 8/13/12		red Date: 8/31/12 red Qty: 1.00
Parent Item Name:	Crosstube Fwd High	Purchased	No		240	Each	107.0000	rt Qty: 1.00	4 ~	red Qty: 1.00
Bolt				<u>Location</u>	<u>Loc Ot</u>	Y	Loc Code		n verseen ha	CO
				ST340		97				
				122416	ģ	7		M/23	4/6	
				ST342		10				
				118422		2				
				119449		1		***		
				120187		4				
				120423		3				
MS21042L6		Purchased	No		240	Each	925.0000	6	6	
•				Location	Loc Qt	Y Y	Loc Code			
		:		314		90				
				122441	6	00		/224	4/	1
				ST300	3:	25				
				117677		2 5				,
				118384		3				
,				118927	•	48				
				119075 120308	3	49 00				- C MF / 1
AN960JD616	NAS1149D0663J	Purchased	No		240	Each	0.0000	18	18	
Washer									120	2452
•				•			•			
					:					10/2/8/20
										1998
	r •									
								•		
		•						:		
	4.4						•	•		•

											DQA.	Date.	
NCR:	Yes	/ No				WORK ORDER NON-C	100	NFORM	MANCE / UPI	DATE			,
									<u> </u>	·	QA Closed:	Date:	
 Work Ord	er:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part NCR	No.	,			· · · · · · · · · · · · · · · · · · ·	Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Descri	ption of work order update	1	nitial	Act	ion	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Descr	iption	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved						· F		T CATE					
Land	ing (General	701	II CAIL	GORT				
		Bending Centre No Cracks Crushed/			o/s	Bend BOM/Route Broken/Damaged Burrs		1	ire ion Incomplete ions Incomplete/U	Jnclear	Ovalized Over/Under Part Incorre Part Lost/M	ct	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled

Maintenance

Out of Calibration
Out of Sequence

Outside Dimensions

Mislabeled

Misread

Offset

Contamination

Countersink

Cut Too Short

Drill Holes

Drawing

Finish

Folio

DOV

Part Moved

Positioned Wrong

Power Loss/Surge

Other

Date.

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Cuffs


Heat Treat

Inspection Strip in Tube

Torque Waves in Extrusion

DART AEROSPACE LTD	Work Order:	88435
Description: Crosstube High Fwd (205/212/412)	Part Number:	D212-664-101
Inspection Dwg: D212-664-141 Rev: D		Page 1 of 1

Required Dimension	Min	Max
Height	26.79	27.05
1/2 Span	53.59	53.85
Angle	49	52
Total Span	107.18	107.7
Bending Passes	3	
Crushing		6%



	Side A	Mipple	Side B
Bending Passes	E	8	Ś
Crushing	4.170		4.5%
	Commer	its	
Sine Az 4.16	cousting @	6 PASSES	
MiODU 2 8 /	Buser		
Sine B = 45%	(asha) Q	Dase	

QC15 Inspection	OAC
Date	16 17/08/10
	Q. c Q

Date	Change	Revised by	Approved
07.02.06	New Issue	KJ/JM	
08.04.21	Dwg Rev updated	KJ/JM	
10.04.01	Dwg Rev updated	KJ . O.	
12.04.16	Added bending, crushing dimensions	KJ 🖎	W
	07.02.06 08.04.21 10.04.01	07.02.06 New Issue 08.04.21 Dwg Rev updated 10.04.01 Dwg Rev updated	07.02.06 New Issue KJ/JM 08.04.21 Dwg Rev updated KJ/JM 10.04.01 Dwg Rev updated KJ

Item	Qty -141	Qty -141B	Part Number	Description
1	X		D212-664-141	CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD)
2		Х	D212-664-141B	CROSSTUBE ASSEMBLY (214 HIGH FWD)
3	1	1	D6005-128	CROSSTUBE
4	2	2	D2893-1	SUPPORT
5	4	4	D3595-063-450	RUBBER CUSHION
6	4	4	MS21920-25	CLAMP (OR MS21920-26)
7	A/R	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)

GENERAL NOTES:

1) MATERIAL: MANUFACTURED FROM D6005-128 FINISHED LENGTH = 126,514±0,020

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2 PAINT OUTSIDE PER DART QSI 005 4.2

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED.

BREAK SHARP EDGES: 0.005 TO 0.010 MAX.

IDENTIFICATION: SCRIBE DART PART NUMBER "D212-664-XXX" AND BATCH NUMBER ON INSIDE OF CUFF USING VIBRATING STYLUS

WEIGHT: D212-664-141 = 33.6 lbs (PER IIN-D212-664) D212-664-141B = 33.6 lbs (PER IIN-D212-664)

8) PART IS SYMMETRIC ABOUT CENTERLINE.

RUN CUTTER OFF PART. BLEND OUT EDGE LONGITUDINALY, TRANSITION SHOULD BE SMOOTH.

10) BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.

11) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.

12) INSTALL D2893-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2893-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING

13) INSTALL MS21920-25 CLAMPS (OR -26) WITH D3595-063-450 RUBBER CUSHIONS TO SECURE THE D2893-1 SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE OF CROSSTUBE

14) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.

15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.

SHOP COTTO RETURN !! ENGINEFRING UNCONTROLERO SUBJECT TO THE APPRECATE WDD was seen seen to the to

WORK (113) MLJ

REMOVED FROM UNDER REVIEW FROM HI-GIA

UNDER BEVIEW SCHIM HI-GIA

12/08/09

12/08/09


REMOVED FROM UNDER REVIEW FROM HI-GIA


UNDER BEVIEW SCHIMA SHIPMET


D

DEO ATTACHED

D	REORG TO CUR REMOV & B6-3); MOVED	REFORMATIREVISE GENERAL NOTES/PART LIST: REFORGANIZED VIEWS AND REFORMATITED DRAWING TO CURRENT STANDARDS; ADD. 141B (ZN 84-2, 04-2); REMOVED REF & ADD TOLERANCES (ZN 84-3, C6-3, C8-3 & 86-3); RELOCATED FLAG #6 PER PAR 08-046 (ZN A5-3); MOVED TURNING DETAIL & UPDATED TOLERANCE TO SHEET 4							
С		REMOVE -851 ABRASION STRIP; ADD MAGNOBOND PH 07.03.08 6398, CUSHION, REVERSE CLAMPS							
В.	ADD H	OLES FOR CO JBES	PH	05.02.04					
Α	NEW IS	SSUE	-	PH	00.12.12				
REV.			DESCRIPTION	BY ·	DATE				
DESIGN	i	PH	DART AEROSP	ACE	LTD				
DRAWN		RF	HAWKESBURY, ONTARI	O, CAN	ADA				
CHECK	ĒD	P	DRAWING NO.		REV. D				
MFG. AF	PR.	177		SHEET 1 OF 4					
APPRO	√ED	140		SCALE					
DE APP	R.		XTUBE ASS'Y (205/212/412	HI FW	D) NTS				
DATE	09.0	9.30	COPYRIGHT © 2000 BY DART AI THIS DOCUMENT IS PRIVATE MID CONFIDENTIAL AND IS SUPPLIED NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICAL	ON THE EXPR	ESS CONDITION THAT IT IS				







DRAWING NO.	TITLE	REV. D	DART AEROSPACE	LTD D.E.O.	NO.	SHEET NO.	SCALE
D212-664-141	XTUBE ASSY (205/21	12/412 HI FWD)	ENGINEERING OR	DER D212-	664-141 <u>-</u> D-1	SHEET 1 OF 2	NTS
DRAWN	CHECKED	P	MFG. APPR. 民	APPROVED	NA,	DE APPR.	
DATE 11.04	1.07 DATE	1), (4), ()	DATE ((.04., 2	DATE	11/04/12	DATE 11.04.17	2

PURPOSE:

ADD AN INSPECTION WINDOW TO UNDERSIDE OF CROSSTUBE.

CHANGE:

NOTES 2 OF SHEET 1 IS AMENDED AS FOLLOWS:

<u> 1S:</u>

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2

MASK UNDERSIDE OF CROSSTUBE AS SHOWN (HATCHED AREA) AND

PAINT OUTSIDE PER DART QSI 005 4.2

REMOVE MASKING AND APPLY CLEAR COAT

WAS:

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1


PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2

PAINT OUTSIDE PER DART QSI 005 4.2

DELEASED 2011 -04- 1,8

UNDER REVIEW

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERSON WRITTEN PE



	T									00
DRAWING NO.	TITLE	REV. D	DART	AEROSPACE I	LTD	D.E.O. N	Ю.	SHE	ET NO.	SCALE
D212-664-141	CROSSTUBE ASS'Y (2	205 HI FWD)	ENGIN	NEERING ORD	ER	D212-6	664-141-D-2	SHEET	110F1	NTS
DRAWN //	CHECKED	Y>>	MFG. APP	PR,	AF	PROVED	IND	DE APPR.	4#-	
DATE 11.07	.15 DATE /	1.07.20	DATE	11.07.21	DA	TE	11/07/21	DATE	11.07.21	
PURPOSE: REPLACE MA	GNOBOND WITH PROSEA	\L.								

CHANGE:

IS:

Qty -141	Qty -141B	Part Number	Description	
		!		
A/R	A/R	PROSEAL 890 B-2	SEALANT, AMS-S-8802 CLASS B-2	
		-141 -141B	-141 -141B	-141 -141B

WAS:

		_		<u> </u>	
7	A //D	4.75	144 0440 0 0410 4000		
1 /	A/R	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120	023
		1	·	ADHESIVE (TEXTRON/BELL SPEC. 299	-947-100.
	<u> </u>			TYPE II, CLASS 2 ADHESIVE)	

NOTE 12 & 15, SHEET 1 IS AMENDED AS FOLLOWS:

- 12) TO INSTALL D2893-1 SUPPORT: ABRADE MATING SURFACE OF SUPPORT AND CROSSTUBE WITH 180-GRIT SANDPAPER AND REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY A 0.04" TO 0.07" THICK LAYER OF PROSEAL 890 CLASS B-2 (OR AMS-S-8802 CLASS B-2) SEALANT TO MATING SURFACE OF SUPPORT.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING. PRIOR TO PACKAGING, RE-CHECK TORQUE ON CLAMPS AFTER PROSEAL 890 SEALANT HAS CURED FOR 72 HOURS.

WAS:

- 12) INSTALL D2893-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2893-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.



COPYRIGHT @ 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE DIFFRES CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WITHEN PERMISSION FROM DATE REPOSPACE LIT

				· · · · · · · · · · · · · · · · · · ·							
: 1	DRĄWING NO.	TITLE	REV. D	DART A	EROSPACE L	TD I	D.E.O. NO).	SF	IEET NO.	SCALE
	D212-664-141	XTUBE ASSY (205/2	12/412 HI FWD)	ENGINE	ERING ORDE	R	0212-66	64-141 - D-3	<u> </u>	ET 1 OF 1	NTS
Į	DRAWN AJS	CHECKED	P	MFG. APPR.	160	APPF	ROVED	160	DE APP	R. -11/ -	
L	DATE 12.06.	28 DATE	12.07.05	DATE	12.07.05	DATE		12.07.05	DATE	12.07.05	

PURPOSE:

ADD NEW CONFIGURATION WITH ANODIZED FINISH

ADD -141F CONFIGURATION TO PARTS LIST AS SHOWN BELOW:

Item	Qty -141	Qty -141B	Qty -141F	Part Number	Description
1	Х			D212-664-141	CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD)
2		Х		D212-664-141B	CROSSTUBE ASSEMBLY (214 HIGH FWD)
			Х	D212-664-141F	CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD) (ANODIZED)
3	1	1	1	D6005-128	CROSSTUBE
4	2	2	2	D2893-1	SUPPORT
5	4	4	4	D3595-063-450	RUBBER CUSHION
6	4	4	4	MS21920-25	CLAMP (OR MS21920-26)
7	A/R	A/R	A/R	PROSEAL 890 B-2	SEALANT, AMS-S-8802 CLASS B-2

*NOTE ITEM 7 HAS BEEN UPDATED IN ACCORDANCE WITH DEO D212-664-141-D-2

AMEND NOTE 2 AS FOLLOWS:

<u>IS:</u>

- 2) FINISH -141 & -141B ONLY: a) CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - b) PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
 - c) MASK UNDERSIDE OF CROSSTUBE AS SHOWN IN DEO D212-664-141-D-1
 - d) PAINT OUTSIDE PER DART QSI 005 4.2
 - e) REMOVE MASKING AND APPLY MATTE CLEAR COAT

FINISH -141F: a) ANODIZE PER MIL-A-8625, TYPE II. CLASS 1.

- b) ALODINE (DO NOT ETCH) PER QSI 005 4.1.2
- c) PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
- d) MASK UNDERSIDE OF CROSSTUBE AS SHOWN IN DEO D212-664-141-D-1
- e) PAINT OUTSIDE PER DART QSI 005 4.2
- 1) REMOVE MASKING AND APPLY MATTE CLEAR COAT

*NOTE: BETWEEN FINISHING OPERATIONS EXTREME CARE MUST BE TAKEN NOT TO CONTAMINATE OR DAMAGE FINISHED SURACES.

WAS: (UPDATED PER DEO D212-664-141-D-1)

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2 MASK UNDERSIDE OF CROSSTUBE AS SHOWN IN DEO D212-664-141-D-PAINT OUTSIDE PER DART QSI 005 4.2 REMOVE MASKING AND APPLY CLEAR COAT



COPYRIGHT © 2012 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND COMPIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS

NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

WRITTEN PERMISSION FROM DART AEROSPACE LTD.



		-
Λ	CHDEN	

P- 12196

ACUREN		L	.iQUID F	PENET	RANT TE	ST REF	PORT	•	<u> </u>
CLIENT	Dat L	EN ACE	<u>.</u>		D	15	azula	PAGE	OF
ATTENTION	I A	7 // 10	A.		DATE	Mura	5/01/6	TIME	AM PM D
ADDRESS	1120	1RE DEC	1 0-		ACUREN JOB NO.		864 19	- 60	5019
ADDRESS	1270 A	COFF	U 57		PO/WO No.	1175	5	····	
	HUNE	sury,	ريره		WORK LOCATION		ME/		
		0			ACCEPTANCE STE	ASTA	4/7/05/-	REV./DAT	2005
PROJECT		1	cro	17.	-BFS		1038		
TEM(S) EXAMINED									
		-							
JOB DESCRIPTION	NC	PROCEDURE NO		REV./DATE	A008,	TECHNIQUE N	IO. LT/BUT	REV./DATE	2008
PART NO.	SEL	= CESCI	LTS		MATERIAL ALL	~ wux	~ Th	ICKNESS	Various
SCOPE #	WERF	Lowes	ENT 6	- 1 Qu	D PENE	-Tan	ST INS	PECT	لدوء
WAS C	uries	out o	w 71A	EE	othe was	Sc.	FACE	anc	,Ÿ
TEST DETAILS									
METHOD	FLUO	RESCENT	☐ VISIBLE		☐ WATER WASH	4.4	☐ SOLVENT REM	OVABLE	☐ Post EmulsiFied
FAMILY BRAND		AFLUX			BLACK LIGHT S/N		☐ OUTPUT > 100		☐ AMBIENT < 2 fc
PENETRANT	2467	MINIMUM DWEL		MIN.	LIGHTING EQUIP.	☐ FLASHLIGH			JT>100 fc@ SURFACE
PENETRANT REMOVE DEVELOPER	CLICO	MINIMUM DRY T MINIMUM DWEL				18mo	0066		1/2
DEVELOPER TYPE	Non Aqu			Min. Dry	LIGHT METER S/N	07	8866	CAL Dæ	DATE LOCOCITS.
TEST SURFACE					•				· · · · · · · · · · · · · · · · · · ·
SURFACE CONDITION		ND 🔲	As WELDED		Machined	□ Sнот В	LASTED	Æ CL	EAN BARE METAL
SURFACE TEMPERAT	URE - 4°C/2	20°F □	- 4°С/ 20°F то	0 10°C/50°F		⊿ 10°C/50	0°F то 52°С/125°	°F 🗆 > 5	52°C/125°F
RESULTS-	(METRIC	☐ IMPERIAL)							
4-88	433 -	le 351_	SE.						
1 -890	75) =	- 4							
1 -800	107 -	_			again an an Ann an an an an Ann a Ann an Ann a		1845 - 1950 - 1951 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960 - 1960		
1-880	; 4/ -	- II					engle (A.S. e.)	4	
1 880	342 -			′ ,	والعبيد فللشاخ إيران		والأراب والأستانيين		
1-38	432 -				de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la	بككسيسكك	gand Sangaktan.		
1 888	355-	"	-		\$4,11\\$(11);				
1 888	437 -	- le	1						
1 38	134 -	10							
1 000	136 -	11	1	· · · · ·		· not	1700 00		
Scope of Services					Andreas de la constitución de la constitución de la constitución de la constitución de la constitución de la c	· · · · · · · · · · · · · · · · · · ·	08 68		
The agreement of Acuren Gro	up Inc. to perform service	s extends only to those services reflect the opinions or	vices provided for in a	writing. Under n	o circumstances shall such	h services extend be	yond the performance of	the requested serv	ices. It is expressly understool nor can they be construed as
expresentations or warranties lata or other information pro								id are not intended Jacture, repair and	t nor can they be construed as d use decisions as a result of the
manual u or Care									
or performing the services pro ouplied, is made or intended l	waea, Acuren Group Inc. by Acuren Group Inc.	uses the degree, care and	skill ordinarily exerci	sed under simila	r circumstances by others	performing such se	rvices in the same or sim	ilar locality. No oi	ther warranty, expressed or
SIGNATURES		700		Benning and Brown and Con-				The second second second	and the second s
CLIENT REPRESENT	ATIVE NA	then Non	11	2000	ill M	1-1	DTR#	<u> </u>	31567
		PRINT		my cu	SIGNATURE	1000			11367
TECHNICIAN (SIGNATU	IRE):	1 11.					REPORT		
VAME (PRINT):	M.	KEIHA	52m	•		-	REVIEWED BY:	V AME	INITIALS
<u>u</u>	00001	1 st TECHNICIAN		0000	2 ND TECHNICIAN		·	** 11*1L	HALLIVEO
	CGSB LEV		EVEL —	CGSB LEVE		EVEL			
	3335 NEG		<u> </u>	COOD REG.	INU				

5.0 PARTS LIST

HIGH GEAR CROSSTUBES

Item	<u>[101]</u>	-201	-203	Part Number	Description
	x			D212-664-101	CROSSTUBE INSTALLATION, 204/205/210/212/214/412, UH-1H, UH-1A/B/E/F/L/P, TH-1F/L, HH-1K HIGH FWD
		x		D212-664-201	CROSSTUBE INSTALLATION, 204/205/210/212/214, UH-1H, UH-1A/B/E/F/L/P, TH-1F/L, HH-1K HIGH AFT
			х	D412-664-203	CROSSTUBE INSTALLATION, 412 HIGH AFT
1	1			D212-664-141	CROSSTUBE ASSEMBLY, 204/205/210/212/214/412, UH-1H, UH-1A/B/E/F/L/P, TH-1F/L, HH-1K HIGH FWD
2		1		D212-664-241	CROSSTUBE ASSEMBLY, 204/205/210/212/214, UH-1H, UH-1A/B/E/F/L/P, TH-1F/L, HH-1K HIGH AFT
3			1	D412-664-243	CROSSTUBE ASSEMBLY, 412 HIGH AFT
				+ D0000 4	SUPPORT
10	2			* D2893-1	RUBBER CUSHION
11	4			* D3595-063-450	CLAMP (OR MS21042-26)
12	4	ear on the free	-	* MS21920-25	BOLT
13	/4	ar year assume		-AN6-35A	BOLT
14	> 4			MS21042L6	NUT (OR MS21042-6)
15	ζ.6			AN960JD616	WASHER
16	/ 18			ANSOUJUOTO	WAGILIK
		2	 	* D2940-1	SUPPORT
20		4		* D3595-063-530	RUBBER CUSHION
21		4		* MS21920-28	CLAMP (OR MS21042-30)
22	-	4		AN6-40A	BOLT
23	-	2		AN6-41A	BOLT
24		6		MS21042L6	NUT (OR MS21042-6)
25	ļ	18		AN960JD616	WASHER
26		10		7.11.000000.0	
30	<u> </u>		1	* D2896-1	SUPPORT
32	 		2	* D3595-063-570	RUBBER CUSHION
33			4	* MS21920-28	CLAMP
34			2	* MS21920-30	CLAMP (OR MS21042-32)
35	 		4	AN6-40A	BOLT
36	 		2	AN6-41A	BOLT
JU	 		6	MS21042L6	NUT (OR MS21042-6)
27	1		·	AN960JD616	WASHER
37			18	I ANSOUJUOTO I	WASHER
37 38 39			18	* D3189-1	CHAFING SHIELD

^{*}REFERENCE ONLY. PARTS ARE INCLUDED IN D212-664-141/-241 OR D412-664-243 ASSEMBLIES ABOVE NOTE: KITS INCLUDE EXTRA HARDWARE FOR COMPATIBILITY WITH BOTH DART AND BELL/AAI SKIDTUBES.

• COPYRIGHT © 2001 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: G

Date: 11.08.30